


SONG JIANG


SMART JOINT





sales@jlsjpipe.com

Size Dn(mm)	L(mm)	D(mm)	PCS/BOX
20	79.8	33.7	250
25	80	39	210
32	80	43	150
40	86	53	108
50	98	68	50
63	109	81	84
75	121	98	50
90	147	118	30
110	155	141	22
125	170	158	14
160	190	199	12
180	209.5	226.8	4
200	205	247	4
250	216	307	4
315	234	384	1
400	295	473	1




sales@jlsjpipe.com

Size Dn(mm)	L(mm)	D1(mm)	D2(mm)	PCS/BOX
32×25	88	42	33	100
40×32	98	53	45	100
50×32	110	67	45	50
50×40	109	66	53	150
63×32	124	82	46	120
63×40	124	83	57	120
63×50	124	82	67	120
75×63	143	95	81	48
90×63	158	114	81	36
90×75	158	114	95	40
110×63	156	138	81	36
110×75	160	138	95	36
110×90	178	138	114	24
125×90	197	158	115	20
160×90	215	198	131	12
160×110	215	198	135	12



90° Electro-Fusion Elbow
 GB 15558.2-2005, GB/T 13663.2-2005
 EN 12201-3: 2002, ISO 8085-3:2001
 SDR11 PE80/100



Size Dn(mm)	L(mm)	L1(mm)	D(mm)	PCS/BOX
25	74	36	39	130
32	84	42	49	80
40	102	45	58.6	45
50	117	50	68	75
63	127.8	53	84	45
75	152.3	60	115.2	45
90	180	70	116	24
110	217	81	141	12
160	283	89	199	5
200	346	99	246	2


sales@jlsjpipe.com



45° Electro-Fusion Elbow
 GB 15558.2-2005, GB/T 13663.2-2005
 EN 12201-3: 2002, ISO 8085-3:2001
 SDR11 PE80/100




Size Dn(mm)	L(mm)	L1(mm)	D(mm)	PCS/BOX
40	85	50	54	100
50	101	55	64	100
63	115	65	80	64
75	140	63	99	55
90	160	85	114	30
110	195	98	139	16
160	259	99	190	8



sales@jlsjpipe.com




Electro-Fusion Equal Tee
 GB 15558.2-2005, GB/T 13663.2-2005
 EN 12201-3: 2002, ISO 8085-3:2001
 SDR11 PE80/100



sales@jlsjpipe.com

Size Dn(mm)	L1(mm)	L2(mm)	D(mm)	PCS/BOX
25×25×25	109	79	38	100
32×32×32	115	92	45	192
50×50×50	174	130	68	75
40×40×40	146	107	54	100
63×63×63	195	146	81	50
75×75×75	203	171	97	30
90×90×90	233	200	115	20
110×110×110	270	218	138	12
160×160×160	340	298	194	4




sales@jlsjpipe.com

Size Dn(mm)	L1(mm)	L2(mm)	D(mm)	PCS/BOX
25×20×25	109	78	38	100
32×25×32	115	92	45	192
40×25×40	146	117	54	100
40×32×40	146	117	54	100
50×32×50	174	129	68	75
50×40×50	174	128	69	75
63×32×63	150	140	81	50
63×40×63	150	140	81	50
63×50×63	195	144	81	50
75×50×75	204	171	97	30
75×63×75	203	171	97	30
90×40×90	200	175	115	30
90×50×90	200	178	115	28
90×63×90	200	178	115	26
90×75×90	234	196	114	20



Electro-Fusion Reducing Tee
 GB 15558.2-2005, GB/T 13663.2-2005
 EN 12201-3: 2002, ISO 8085-3:2001
 SDR11 PE80/100




sales@jlsjpipe.com

Dn(mm)	L1(mm)	L2(mm)	D(mm)	PCS/BOX
110×40×110	222	198	138	16
110×50×110	222	199	138	16
110×63×110	223	200	138	16
110×75×110	270	216	138	12
110×90×110	269	216	138	12
160×63×160	287	294	198	7
160×90×160	288	293	198	6
160×110×160	286	291	198	6
200×63×200	296	318	246	4
200×90×200	298	338	246	4
200×110×200	298	339	241	4



Electro-Fusion Saddle
 GB 15558.2-2005, GB/T 13663.2-2005
 EN 12201-3: 2002, ISO 8085-3:2001
 SDR11 PE80/100




sales@jlsjpipe.com

Size Dn(mm)	H(mm)	h(mm)	D(mm)	d	L	PCS/BOX
110×40×110	183	58	110	40	162	10
110×50×110	183	58	138	50	162	10
110×63×110	183	58	138	63	162	10
160×40×160	172	48	160	40	179	10
160×50×160	172	48	160	50	179	10
160×63×160	172	48	160	63	179	10
200×40×200	167	42	200	40	178	10
200×50×200	167	42	200	50	178	10
200×63×200	167	42	200	63	178	10
250×40×250	143	38	250	40	172	5
250×50×250	143	42	250	50	172	5
250×63×250	143	42	250	63	172	5
315×40×315	159	34	315	40	174	5
315×50×315	159	42	250	50	174	5
315×63×315	159	42	250	63	174	5



Electro-Fusion Tapping Tee
 GB 15558.2-2005, GB/T 13663.2-2005
 EN 12201-3: 2002, ISO 8085-3:2001
 SDR11 PE80/100



Dn(mm)	H(mm)	h(mm)	D(mm)	d1	d2	L	Pcs/box
110×40×110	193	58	110	40	63	162	10
110×50×110	193	58	138	50	63	162	10
110×63×110	193	58	138	63	63	162	10
160×40×160	182	48	160	40	63	179	10
160×50×160	182	48	160	50	63	179	10
160×63×160	182	48	160	63	63	179	10
200×40×200	177	42	200	40	63	178	10
200×50×200	177	42	200	50	63	178	10
200×63×200	177	42	200	63	63	178	10
250×40×250	153	38	250	40	63	172	5
250×50×250	153	42	250	50	63	172	5
250×63×250	153	42	250	63	63	172	5
315×40×315	169	34	315	40	63	174	5
315×50×315	169	42	250	50	63	174	5
315×63×315	169	42	250	63	63	174	5

sales@jlsjpipe.com